

OSCEOLA COUNTY, FLORIDA TRANSPORTATION AND TRANSIT

CONTRACT PLANS

FINANCIAL PROJECT ID 447605-1-58-01 FEDERAL AID NUMBER XXXX-XXX-X

COUNTY PROJECT NO. PS-21-12254-DG

MARIGOLD AVENUE SAFETY IMPROVEMENTS

LANDSCAPE PLANS



PAVEMENT MARKING PLANS SHEET NO. SHEET DESCRIPTION

L100	KEY SHEET
L101	OVERALL LAYOUT
L110 - L115	LANDSCAPE PLANS
L230	SCHEDULE
L231	NOTES & DETAILS

OSCEOLA COUNTY COMMISSIONERS


PEGGY CHOUDHRY	COMMISSIONER DISTRICT 1
VIVIANA JANER	BOCC VICE CHAIRWOMAN, COMMISSIONER DISTRICT 2
BRANDON ARRINGTON	BOCC CHAIR, COMMISSIONER DISTRICT 3
CHERYL GRIEB	COMMISSIONER DISTRICT 4
RICKY BOOTH	COMMISSIONER DISTRICT 5

GOVERNING STANDARD PLANS:

Florida Department of Transportation, FY2022-23 Standard Plans eBook (DSeB) and applicable Design Standards Revisions (DSRs) at the following website: http://www.fdot.gov/design/StandardPlans/current/default.shtm

GOVERNING STANDARD SPECIFICATIONS:

Florida Department of Transportation, July 2022 Standard Specifications for Road and Bridge Construction at the following website: http://www.fdot.gov/programmanagement/Implemented/SpecBooks




PHASE III NOVEMBER 2022

LANDSCAPE PLANS LANDSCAPE ARCHITECT OF RECORD:

MICHAEL J. URCHUK, RLA FL RLA LICENSE NUMBER 6666675 DEWBERRY ENGINEERS 800 NORTH MAGNOLIA AVENUE, SUITE 1000 ORLANDO, FL 32803 CONTRACT NO .: 00851 VENDOR NO.: F130746510001

OSCEOLA COUNTY PROJECT MANAGER: KATHY_LEE,_P.E.__

FISCAL	SHEET
YEAR	NO.
22	L100





OVERALL PLAN SCALE: 1"=300'-0"

	REVIS	SIONS		MICHAEL J. URCHUK, RLA			T
DATE	DESCRIPTION	DATE	DESCRIPTION	FL RLA LICENSE NUMBER 6666675		FDOT LAP PROJECT NO.	
				DEWBERRY ENGINEERS INC. 800 NORTH MAGNOLIA AVENUE SUITE 1000 ORLANDO, FL 32803	OSCEOLA COUNTY	447605-1-38-01	
\$USER\$			\$D/	ATE\$ \$TIME\$ \$MODELNAME\$			














		1						
								142
						· ·	2	486 sf - B
							2,	
MAR	IGOLD-AVE		854+00		85	5+00		856+00
	953+00		(154+66					and the second secon
			954+66		955	<u>↓</u> ↓ 5+00		956+00
				LEGEND				
				SHRUB AREAS	BOTANICAL / COMMON I	NAME		
					Liriope muscari 'Evergreer	ı Giant' / Evergreen Giant Lilyturf		
				GROUND COVERS	BOTANICAL / COMMON I	NAME		
					Paspalum notatum / Bahia	grass		
	CAPE PLAN						NOTE: 1. ALL TREES S 5 FEET FRO	Shall be locat M final locatic
SCALE: 1"=30'-	-0"	EVISIONS		MICHAEL LUBCH	V DIA			
DATE	DESCRIPTION	DATE	DESCRIPTION	MICHAEL J. URCHU FL RLA LICENSE NU DEWBERRY ENGINE	UMBER 6666675 EERS INC.		FDOT LAP PROJECT NO.	
				800 NORTH MAGNO ORLANDO, FL 3280	DLIA AVENUE SUITE 1000 3	OSCEOLA COUNTY	447605-1-38-01	












	DESCRIPTION (BOTANICAL NAME/ COMMON NAME ; SIZE ; SPACING ;		MAX.							SHEET NUMBERS								τοτα	L THIS		
PAY ITEM NO.			REMARKS	UNIT	L1.10		L1.11		L1.12		L1.13		L1.14		L1.15		SHEET		GRAND TOTAL		
					PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINA	
		TURF/ SOD			SF																
	BA	PASPALUM NOTATUM / BAHIAGRASS				3,545		1,102		2,486		1,083		4,786		1,356					
		SMALL PLANTS			LS																
	LM	LIRIOPE MUSCAN 'EVERGREEN GIANT / EVERGREEN GIANT LILYTURF	1 . 5'			333		1,096		298		1,816		1,094		342					
	MC	MUHLENBERGIA CAPILLARIS / PINK MUHLY GRASS						157				157		157							
	TA	TRACHELOSPERMUM ASIATICUM / ASIATIC JASMINE						187				187		187							
	ZP	ZAMIA PUMILA / COONTIE CYCAD						61				61		61							
		LARGE PLANTS			LS																
	SP	SABAL PALMETTO / CABBAGE PALMETTO	NF / 50'					5				5		5							

	REVIS	SIONS		MICHAEL J. URCHUK, RLA			
DATE	DESCRIPTION	DATE	DESCRIPTION	FL RLA LICENSE NUMBER 6666675 DEWBERRY ENGINEERS INC. 800 NORTH MAGNOLIA AVENUE SUITE 1000 ORLANDO, FL 32803	OSCEOLA	FDOT LAP PROJECT NO. 447605-1-38-01	L
				ORLANDO, FE 52805	OSCEOLA COUNTY	447005-1-58-01	

61615-23.004 RULE AND SEALED UNDER SIGNED FILE DIGITALLY THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC

	SHEET NO.
ANDSCAPE LEGEND	L230
	\$FILE\$



LANDSCAPE NOTES

landscape Contractor shall be responsible for all materials and all work as called for on the Landscape Plans and in the Landsca fifcations. In the event of variation between quantities shown on piant list and the plans, the plans shall control. The Landscape rador shall verify all quantities and report any discrepancies at the time of bidding.

ctural/engineering plans and become thoroughly f

Every possible safeguard shall be taken to protect building surfaces, equipment and furnishings. The Landscape Contractor shall be
responsible for any damage or injury to person or property which may occur as a result of negligence in the execution of the work.

4. The work shall be coordinated with other trades to prevent conflicts. Coordinate the planting with the irrigation work to assure availabilit and proper location of irrigation items and plants

5. All planting shall be performed by personnel familiar with planting procedure and under the supervision of a qualified planting foreman

All plant material shall be graded Florida No. 1 or better as outlined under Grades and Standards for Nursery Plants, Part I and II, published by the Florida Department of Agriculture and Consumer Services.

The Landscape Architect or Owner shall have the right, at any stage of the operations, to reject any and all work and materials which, i his opinion, do not meet with the requirements of these specification

8. Except as otherwise specified, the Landscape Contractor's work shall conform to accepted horticultural practices as used in the trade

The minimum acceptable size of all plants, measured after pruning, with branches in normal positions, shall conform to the measurements specified on the plant list or as indicated on the landscape drawing. Height and spread dimensions refer to main bod the plant and not extreme branch tip to tip. The caliper of tree trunks is to be taken one foot above the ground level for trees 4* and larger and 6* above ground for trees less than 4*.

10. Plants shall be protected upon arrival at the site, by being thoroughly watered and properly maintained until plante

11. All tree pits shall be excavated to size and depth in accordance with the USDA Standard for Nursery Stock 260.1, unless shown otherwise on the drawings, and backfilled with the specified planting soil. The Landscape Contractor shall test fill all tree pits with water before planting to assure proper drainage percolation is available.

12. The Landscape Contractor shall be responsible for proper watering of all plants. All plants shall be thoroughly watered at time of planting and kept adequately watered until time of acceptance. It shall be the Landscape Contractor's responsibility to assure that plants are not over watered.

13. It shall be the Landscape Contractor's responsibility to prevent plants from falling or being blown over, to re-straighten and replant all plants which lean or fail and to replace all plants which are damaged due to lack of proper guying or staking. The Landscape Contractor shall be legally liable for any damage caused by instability of any plant material.

14. All trees and all palms shall be guyed or staked or braced. The Landscape Contractor shall determine which small or multi-trunk trees need to be guyed and staked to maintain plumb. Staking of trees and shrubs, if required, shall be done as per staking and guying detail prepared by the Landscape Architect. It shall be the responsibility of the Landscape Contractor to remove guys and stakes from the trees and job site after a period of 90 days.

15. Plants blown over by high winds, within the guaranteed period, shall not be cause for additional expense to the Owner, but shall be the responsibility of the Landscape Contractor. Damaged plants shall be replaced by the Landscape Contractor at no additional cost to the

16. Sod shall be certified to be free of the imported fire ant. Sod shall have a clean growth of acceptable grass, reasonably free of we with not less than 1 1/2' of sol firmly adhering to roots. It shall be the responsibility of the Landscape Control to measure and determine the exact amount required. This amount shall be verified with the Owner or Landscape Architect before installation. ably free of weeds

The Landscape Contractor shall insure adequate vertical drainage in all plant beds, planters, and sod areas. Vertical drilling through any compacted fill to native soil shall be accomplished to insure drainage. If well drained fill is necessary to assure positive drainage, this issue shall be brought up by the Landscape Contractor at time of bidding.

18. The Landscape Contractor shall insure that his work does not interrupt established or projected drainage patter

19. The Landscape Contractor shall prune, shape and remove dead foliage/lim Landscape Architect or Owner the extent of work required at time of bidding

20. Mulch - All plant beds shall be top dressed with 3" shredded hard

nted Material - The Landscape Contractor shall be responsible for determining and evaluating which Iransplanteo Material - I ne Landscape Contractor shall be responsible for determining and evaluating which plant materials are suitable for transplanting and shall werfy this with the Landscape Architect or Owner. The Landscape Contractor shall take all reasonable, horticulturally acceptable measures to assure the successful transplanting of determined plant materials. The Landscape Contractor shall be responsible for replacing any relocated plant materials which die if such measures are not taken, as determined by the Landscape Architect or Owner. Replacement plants shall be of identical species and size if required.

22. MAINTENANCE PRIOR TO FINAL INSPECTION AND ACCEPTANCE:

Maintenance shall commence after each plant is planted and the maintenance period shall continue until the job or specific phase of the job is accepted by the Landscape Architect or Owner. Extreme care shall be taken to instruct the Owner or his repres general maintenance procedures

Plant maintenance shall include watering, pruning, weeding, cultivating, mulching, tightening, and repairing of guys, sick or dead plants, resetting plants to proper grades or upright positions and restoration of the planting saucer and all other care eeded for proper growth of the plants

During the main nce period and up to the date of final acceptance, the Landscape Contractor shall do all seasonal spraying and/or dusting of trees and shrubs. Upon completion of all planting, an inspection for acceptance of work will be held. The Landscape Contractor shall notify the Landscape Architect or Owner for scheduling of the inspection 10 days prior to the anticipated 6

At the time of the inspection, if all of the materials are acceptable, a written notice will be given by the Landscape Architect or Owner to the Landscape Contractor Stating the date when the Maintenance Period ends.

GUARANTEE AND REPLACEMENT

UNYARNIEE AND REPLACEMENT: All plant materials shall be guaranteed for one (1) year from the time of final inspection and interim acceptance shall be alive and in satisfactory growth for each specific kind of plant at the end of the guaranteed period. At the end of the guarantee period, any plant required under this contract that is dead or not in satisfactory growth, as determined by the Oxmer of the Landscape Architect, shall be removed and replaced. Replacement plants shall have an extended guarantee, as noted above, from time of replacement. All replacements shall be planted of the same kind and size as specified on the plant list. They shall be the responsibility of the Landscape Contractor.

		1111
ANDSCAPE NOTES &	SHEET NO.	
DETAILS	L231	
	\$FILE\$	